Avita Lite - control system built into Array hardware control panel



hitechsys.com
sales@hitechsys.com

©2021 Hi Tech Systems Ltd | Holbrook House | Oakley Lane | Oakley | Basingstoke | RG23 7JY | UK
E & OE | Registered in England number 2130346 | Telephone +44 1256 780880

Avita control configuration basic system without hardware panels

User interface

- Choice of different Avita applications
- Applications all designed for touchscreen
- Dual screen mode



Network

One to sixteen port serial control



AND/OR



Server Control over IP



Typically for VDCP control of Server, but also RS422 serial to VTRs and routers

hitechsys.com
sales@hitechsys.com

©2021 Hi Tech Systems Ltd | Holbrook House | Oakley Lane | Oakley | Basingstoke | RG23 7JY | UK
E & OE | Registered in England number 2130346 | Telephone +44 1256 780880

Avita control configuration basic system with hardware panels

User interface

- Choice of different Avita applications
- Applications all designed for touchscreen
- Dual screen mode

AViTA client computer options

Network

One to sixteen port serial control



AND/OR



Server Control over IP



Typically for VDCP control of Server, but also RS422 serial to VTRs and routers



Array remote control panels

- Choice of different Array control panels.
- Up to four Array panels can be joined to form an Array Surface
- Up to six Array Surfaces can be connected to each Avita for multi-position control

hitechsys.com
sales@hitechsys.com

©2021 Hi Tech Systems Ltd | Holbrook House | Oakley Lane | Oakley | Basingstoke | RG23 7JY | UK
E & OE | Registered in England number 2130346 | Telephone +44 1256 780880

Avita control configuration network connected server

User interface

- Choice of different Avita applications
- Applications all designed for touchscreen
- Dual screen mode



RACK SERVER

OR

INTEL NUC

AViTA client computer options

Network

Imagine Nexio server

Harmonic Spectrum server

GVG K2 Summit server (contact Hi Tech)

AVID AirSpeed 5000 (contact Hi Tech)

R&S VENICE

Control

- API control, gives enhanced features over standard VDCP serial control
- VDCP over network control available on some other servers.

Click for list of supported Devices

- Abekas Tria+
- AJA recorders
- Avid Airspeed 5000
- Avid Airspeed 5500
- Avid Multi Stream
- Blackmagic recorders
- Cinedeck
- DVS Venice
- Dalet Brio
- EVS XS
- FOR A MBA 110
- GVG K2 Summit 3G
- Harmonic MediaDeck
- Imagine/Harris Nexio
- MOS interface
- Omneon Spectrum
- Ross Soft Metal
- Sony PWS 4400
- Sony SR-R1000
- Sony XD Cam
- Sea Change
- R & S – Venice server
- GPI and GPO
- Routers / switchers
- Time Code Reader
- Network to serial IF box
- VTRs

hitechsys.com
sales@hitechsys.com

©2021 Hi Tech Systems Ltd | Holbrook House | Oakley Lane | Oakley | Basingstoke | RG23 7JY | UK
E & OE | Registered in England number 2130346 | Telephone +44 1256 780880

Avita interface to other devices

User interface

- Choice of different Avita applications
- Applications all designed for touchscreen
- Dual screen mode

RACK SERVER

OR

INTEL NUC

AViTA client computer options

Network

NRCS



NETWORK TO SERIAL

GPI



VTR



PLAYBACK STATUS



REMOTE DATABASE

hitechsys.com
sales@hitechsys.com

©2021 Hi Tech Systems Ltd | Holbrook House | Oakley Lane | Oakley | Basingstoke | RG23 7JY | UK
E & OE | Registered in England number 2130346 | Telephone +44 1256 780880